


Safety Data Sheet RICARICA PER VERNICE

ARECO ITALIA S.p.A. Via Dell'Industria, 72/74 20083 VIGANO DI GAGGIANO (MI) Tel. (02) 90.85.372 - 90.86.270 Fax (02) 90.81.829



Safety Data Sheet dated 22/1/2013, version 1

SECTION 1: Identification	n of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identifica	
Trade name:	
Trade code:	80.0018 I uses of the substance or mixture and uses advised against
Recommended use:	uses of the substance of mixture and uses advised against
	ive household, industrial and professional
opiay painting decorat	
1.3. Details of the supp	lier of the safety data sheet
Company:	
	SPA Via Dell'Industria 72/74 20083 Vigano di Gaggiano (MI)
	SPA TEL. +39 029085372 - +39 029086270
	ponsible for the safety data sheet:
info@arecoitalia 1.4. Emergency teleph	
	SPA TEL. +39 029085372 - +39 029086270
SECTION 2: Hazards ide	ntification
	e substance or mixture
	8/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:	3 1 1 1 1 1 1 1 1 1 1
F+ Extremely fla	mmable
Xi Irritant	
R Phrases:	
R12 Extremely f	
R36 Irritating to	
	xposure may cause skin dryness or cracking.
R67 vapours ma	ay cause drowsiness and dizziness.
Adverse physicochemi	cal, human health and environmental effects:
No other hazard	
	-
2.2. Label elements	
Xi F+	
Symbols:	
Xi Irritant	
F+ Extremely fla	mmable
R Phrases:	
R12 Extremely f	ammable.
R36 Irritating to	
	xposure may cause skin dryness or cracking.
	ay cause drowsiness and dizziness.
S Phrases:	

80.0018/1 Page n. 1 of 8



Safety Data Sheet RICARICA PER VERNICE

S16 Keep away from sources of ignition - No smoking.

S2 Keep out of reach of children.

S23 Do not breathe spray.

S43 In case of fire, use vaporized water or foam.

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

S9 Keep container in a well-ventilated place.

Special Provisions:

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of reach of children.

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

 $\langle \mathbf{I} \rangle$

- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

- 50% 60% acetone; propan-2-one; propanone
 - - () 3.3/2 Eye Irrit. 2 H319
 - .

3.8/3 STOT SE 3 H336

- 50% 60% dimethyl ether
 - Index number: 603-019-00-8, CAS: 115-10-6, EC: 204-065-8
 - F+; R12; substance with a Community workplace exposure limit
 - 2.2/1 Flam. Gas 1 H220

2.5 Press. Gas H280

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.



Safety Data Sheet RICARICA PER VERNICE

- Wash thoroughly the body (shower or bath).
 Remove contaminated clothing immediatley and dispose off safely.
 After contact with skin, wash immediately with soap and plenty of water.
 In case of eyes contact:

 After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.
 Protect uninjured eye.

 In case of Ingestion:

 Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

 In case of Inhalation:

 Remove casualty to fresh air and keep warm and at rest.

 4.2. Most important symptoms and effects, both acute and delayed None

 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use)
 - 3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - In case of fire, use vaporized water or foam.
 - Extinguishing media which must not be used for safety reasons:
 - None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove all sources of ignition.
 - Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

80.0018/1 Page n. 3 of 8



Safety Data Sheet RICARICA PER VERNICE

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eves, inhaltion of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recomened protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Always keep in a well ventilated place. Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Cool and adequately ventilated. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters acetone; propan-2-one; propanone - CAS: 67-64-1 TLV TWA - ppm 500,A4 TLV STEL - ppm 750,A4 VLE 8h - ppm 500 mg/m3 1210 dimethyl ether - CAS: 115-10-6 VLE 8h - ppm 1000 mg/m3 1920 **DNEL Exposure Limit Values** N.Á. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Use adequate protective respiratory equipment. Thermal Hazards: None Environmental exposure controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Safety Data Sheet RICARICA PER VERNICE

ARECO ITALIA S.p.A. Via Dell'Industria, 72/74 20083 VIGANO DI GAGGIANO (MI) Tel. (02) 90.85.372 - 90.86.270 Fax (02) 90.81.829

Appearance and colour: Liquid aspect (under pressure), various colours.

Odour:	Caracteristic of solvent
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	N.A.
Initial boiling point and boiling	
Solid/gas flammability:	Extremely flammable
Upper/lower flammability or e	
Vapour density:	N.A.
Flash point:	Inf. 0 ° C
Evaporation rate:	N.A.
Vapour pressure:	a 20°C - 3,5 bar
Relative density:	0,75 - 0,80 g/ml
Solubility in water:	NO
Solubility in oil:	SI
Partition coefficient (n-octand	ol/water): N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant	properties N.A.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
 - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:
 - N.A.

Toxicological information of the main substances found in the mixture:

acetone; propan-2-one; propanone - CAS: 67-64-1

LD50 (RABBIT) ORAL: 5300 MG/KG



Safety Data Sheet **RICARICA PER VERNICE**

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity:
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment. N.A.
- 12.2. Persistence and degradability
 - None N.A.
- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
- 14.2. UN proper shipping name ADR-Shipping Name: IATA-Shipping Name: IMDG-Shipping Name: 14.3. Transport hazard class(es)

ENTER PROPER SHIPPING NAME *ENTER PROPER SHIPPING NAME*

- *ENTER PROPER SHIPPING NAME*
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

SECTION 15: Regulatory information

80.0018/1 Page n. 6 of 8



Safety Data Sheet RICARICA PER VERNICE

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) Regulation (EU) n. 453/2010 (Annex I) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Volatile CMR substances = 0.00 % Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.00Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

SECTION 16: Other information

Text of phrases referred to under heading 3:

R11 Highly flammable.

R12 Extremely flammable.

R36 Irritating to eyes.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

80.0018/1 Page n. 7 of 8



Safety Data Sheet RICARICA PER VERNICE

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.
N.A.:	N.A.
N.D.:	