

Page n. 1 of 8

Safety Data Sheet OLIO DI VASELINA SPRAY





Safety Data Sheet dated 22/1/2013, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier
Mixture identification:
Trade name: OLIO DI VASELINA SPRAY Trade code: 80.0017
1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Spray painting decorative household, industrial and professional
1.3. Details of the supplier of the safety data sheet
Company: ARECO ITALIA SPA Via Dell'Industria 72/74 20083 Vigano di Gaggiano (MI)
ARECO ITALIA SPA TEL. +39 029085372 - +39 029086270
Competent person responsible for the safety data sheet:
info@arecoitalia.it
1.4. Emergency telephone number
ARECO ITALIA SPA TEL. +39 029085372 - +39 029086270
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:
F+ Extremely flammable
R Phrases:
R12 Extremely flammable.
Adverse physicochemical, human health and environmental effects:
No other hazards
2.2. Label elements
Symbols: F+ Extremely flammable
R Phrases:
R12 Extremely flammable.
S Phrases:
S16 Keep away from sources of ignition - No smoking.
S2 Keep out of reach of children.
S23 Do not breathe spray.
S43 In case of fire, use vaporized water or foam.
S51 Use only in well-ventilated areas.
S9 Keep container in a well-ventilated place. Special Provisions:
80.0017/1



Safety Data Sheet OLIO DI VASELINA SPRAY

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of reach of children.

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - N.A.
- 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

20% - 25% propane

Index number: 601-003-00-5, CAS: 74-98-6, EC: 200-827-9 F+; R12; substance with a Community workplace exposure limit 2.2/1 Flam. Gas 1 H220

2.5 Press. Gas H280


10% - 12.5% butane

Index number: 601-004-00-0, CAS: 106-97-8, EC: 203-448-7 F+; R12; substance with a Community workplace exposure limit 2.2/1 Flam. Gas 1 H220

2.5 Press. Gas H280

3% - 5% butane

Index number: 601-004-00-0, CAS: 75-28-5, EC: 200-857-2 F+; R12; substance with a Community workplace exposure limit 2.2/1 Flam. Gas 1 H220



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:



Safety Data Sheet OLIO DI VASELINA SPRAY

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - In case of fire, use vaporized water or foam.
 - Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove all sources of ignition. Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhaltion of vapours and mists. Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recomened protective equipment.

80.0017/1 Page n. 3 of 8



Safety Data Sheet OLIO DI VASELINA SPRAY

7.2. Conditions for safe storage, including any incompatibilities Always keep in a well ventilated place. Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Cool and adequately ventilated. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters

propane - CAS: 74-98-6 TLV TWA - 1000 ppm - 0 mg/m3 VLE short - 1000 ppm butane - CAS: 106-97-8 TLV TWA - 1000 ppm butane - CAS: 75-28-5 TLV TWA - 1000 ppm - 0 mg/m3 VLE short - 1000 ppm **DNEL Exposure Limit Values** N.A. PNEC Exposure Limit Values N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Use adequate protective respiratory equipment. Thermal Hazards: None Environmental exposure controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance and colour: Liquid aspect (under pressure), colourless. Odour: Caracteristic of solvent Odour threshold: N.A. pH: N.A. Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A. Solid/gas flammability: Extremely flammable Upper/lower flammability or explosive limits: N.A. Vapour density: > of air.

80.0017/1 Page n. 4 of 8



Safety Data Sheet OLIO DI VASELINA SPRAY

Inf. 0 ° C Flash point: Evaporation rate: N.A. a 50°C - 8,0 bar a 20°C - 4,0 bar Vapour pressure: Relative density: 0,75 - 0,80 g/ml Solubility in water: N0 Solubility in oil: SI Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. 9.2. Other information Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A. Substance Groups relevant properties N.A.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:
 - N.A.

Toxicological information of the main substances found in the mixture:

N.A.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.



Safety Data Sheet OLIO DI VASELINA SPRAY

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

- 12.2. Persistence and degradability None N.A.
- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
 12.6. Other adverse effects
 - None

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number	
ADR-UN Number:	1950
IATA-UN Number:	1950
IMDG-UN Number:	1950
14.2. UN proper shipping name	
ADR-Shipping Name:	1950
IATA-Shipping Name:	1950
IMDG-Shipping Name:	1950
14.3. Transport hazard class(es)	
ADR-Class:	2 5F
IATA-Class:	2 5F
IMDG-Class:	2 5F
14.4. Packing group	
ADR-Packing Group:	-
IATA-Packing group:	-
IMDG-Packing group:	-
14.5. Environmental hazards	
440.0	

- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work)

80.0017/1 Page n. 6 of 8



Safety Data Sheet OLIO DI VASELINA SPRAY

Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) Regulation (EU) n. 453/2010 (Annex I) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Volatile CMR substances = 0.00 % Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.00 Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

SECTION 16: Other information

Text of phrases referred to under heading 3: R12 Extremely flammable.

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.



Safety Data Sheet OLIO DI VASELINA SPRAY

IATA: IATA-DGR:	International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport
ICAO:	Association" (IATA). International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.
N.A.:	N.A.
N.D.:	